

270 CIAN

Men`s Jacket

Size S / M / L

Garment measurements:

Chest 41 $\frac{3}{4}$ "/45"/48" (106/114/122 cm)

Length 25 $\frac{1}{4}$ "/25 $\frac{1}{2}$ "/26" (64/65/66 cm)

Materials: LANGYARNS DONEGAL TWEED+ (virgin wool, mulesing-free) 650/700/750 g = 13/14/15 balls of copper 1143.0015. ADDI knitting needles in sizes US 6 & 7 (4 mm & 4.5 mm). Set of double-pointed needle, size US 7 (4.5 mm). 1 open-ended zip fastener, 25 $\frac{1}{2}$ " (65 cm) long.

PATTERN STITCHES

Rib st:

US 6 (4 mm) needles: K3:P2 rib, odd number of sts

Row 1 (RS): p1 (edge st), * p1, k3, p1, rep from * to the last st, p1 (edge st).

On subsequent rows work the sts as they face you.

Stockinette st:

US 7 (4.5 mm) needles: Stockinette st = knit on RS, purl on WS.

Note: At the front edges work the edge sts as follows: sl1 purlwise at beginning of row, k1 at end of row.

Gauge: Stockinette st, US 7 (4.5 mm) needles:

17 sts = 4" (10 cm), 25 rows = 4" (10 cm).

BACK

Cast on 107/117/127 sts with US 6 (4 mm) needles. Work in rib as follows:

Row 1 (RS): p1 (edge st), * p1, k3, p1, rep from * to the last st, p1 (edge st).

Continue, working the sts as they face you until ribbing measures 2 $\frac{3}{4}$ " (7 cm).

Change to US 7 (4.5 mm) needles and begin working in stockinette (= k on RS, p on WS),

decreasing 15/19/21 sts evenly over the first row: k3/3/2, k2tog, * k5/4/4, k2tog, rep from * to the last 4/4/3 sts, knit to end.

Continue with 92/98/106 sts.

Shape armholes: When back measures 15" (38 cm) from the cast-on, bind off 2 sts at the beginning of the next 2 rows, then 1 st at the beginning and end of the next 3 RS rows and the foll 3 alternate RS rows.

When all decreases have been completed you will have 76/82/90 sts.

Continue working until armhole measures 9 $\frac{1}{2}$ "/10"/10 $\frac{1}{4}$ " (24/25/26 cm).

Shape shoulders and neck: mark the 26/28/30 center sts, with 25/27/30 sts each side.

Note: Please read through the next section carefully before starting to knit: you will be dividing for neck and working each side separately.

For shoulder bind off 12 sts once & 11 sts once / 13 sts once & 12 sts once / 14 sts twice each side as follows:

Next row (RS): bind off 12/13/14 sts for shoulder, work in pattern to first marker then leave these sts on a holder for right side, remove marker and bind off the next 26/28/30 sts for neck, remove marker and work to end.

Left side (WS): bind off 12/13/14 sts for shoulder and work to end. Bind off 2 sts as smoothly as possible (see Important Information) at the beginning of the next RS row (= neck edge), then finally bind off 11/12/14 sts on WS.

Right side: slip the sts from the holder back onto your needle and, with WS facing, work to end. Bind off 11/12/14 sts at beginning of the next RS row, then finally 2 sts on WS.

LEFT FRONT

Cast on 52/57/62 sts with US 6 (4 mm) needles.

Note: For front work edge sts as follows: sl1 p-wise at beginning of row, k1 at end of row.

Work in rib for 2¾" (7 cm), then change to US 7 (4.5 mm) needles and begin working in stockinette st, decreasing 6/7/8 sts evenly over the first row: sl1 p-wise (edge st), k3/2/4, k2tog, * k6/6/5, k2tog, rep from * to the last 6/4/6 sts, knit to end.

Continue with 46/50/54 sts.

Shape armhole at the right edge as for back: bind off at the beginning of RS rows: 2 sts once, 1 st 3 times, then 1 st at beginning of every alternate RS row 3 times.

When all decreases have been completed you will have 38/42/46 sts.

Shape neck at the left edge when front measures 22½" (57 cm) from the cast-on, bind off as smoothly as possible at the beginning of every WS row as follows: 5/7/8 sts once, 3 sts once, 2 sts twice and 1 st 3 times.

Shape shoulder at the right edge, at same length and in same way as for back.

RIGHT FRONT

Work to mirror the right front.

Shape armhole and **shoulder** at the left edge, **shape neck** at the right edge.

SLEEVES

Cast on 47/52/57 sts with US 6 (4 mm) needles.

Work in rib for 2¾" (7 cm), then change to US 7 (4.5 mm) needles and work in stockinette st, increasing 5/4/3 sts evenly over the first row: k5/6/9, M1, * k9/13/19, M1, rep from * to the last 6/7/10 sts, knit to end.

Continue with 52/56/60 sts, begin sleeve shaping after 8 rows:

Side shaping: Inc Row (RS): k1 (edge st), M1, work to the last st, M1, k1 (edge st).

Rep inc every 8th row 12 times.

When all increases have been completed you will have 76/80/84 sts.

Continue working until sleeve measures 20" (50 cm) from the cast-on edge.

Sleeve cap: Bind off at the beginning of every row as follows: 3 sts 18 times and 2 sts 8/8/10 times.

Loosely bind off the remaining sts when sleeve cap reaches a length of 4¹/₄"/4¹/₄"/4³/₄" (11/11/12 cm).

FINISHING

Close shoulder seams. Set in sleeves. Sew side and sleeve seams. **Collar:** With US 6 (4 mm) needles, pick up 77/82/87 sts around the neckline (front = 22/23/24 sts, back = 33/36/39 sts, front = 22/23/24 sts). Work in rib, beginning with a WS row as follows: sl1 p-wise (edge st), * k1, p3, k1, rep from * to the last st, k1 (edge st). When collar measures 3/4" (2 cm) change to US 7 (4.5 mm) needles and continue working in rib for a further 4³/₄" (12 cm), then work another 3/4" (2 cm) with US 6 (4 mm) needles. When collar reaches a length of 6¹/₄" (16 cm) bind off all sts loosely, in pattern. Sew zipper in place along the front edges, up to the middle of the collar. Turn half of the collar (over the zipper) and sew in place on the inside. **Zipper facings** (knit 2): with double-pointed needles, cast on 4 sts. Work in stockinette st until the facing fits (slightly stretched) over the zipper up to the beginning of the collar, leave the sts with a little yarn in reserve. With sewing thread, sew the facings in place on the inside, over the cloth part of the zipper, adjust the length if necessary and bind off the 4 sts. Sew in ends. Block as desired.